## Approved For Release 2001/08/14: CIA-RDP81-00896R000100040013-0

ADMINISTRATIVE - INTERNAL USE ONLY

22 November 1976

STATINTL

MEMORANDUM FOR: Chief, TSS

FROM :

Deputy Director of Training

SUBJECT : Meeting with Senior Training Officers

The next meeting of the DTR with the STOs is scheduled for 8 December and several items have been suggested for the agenda which fall in your general bailiwick. These are as follows:

STATINTL

STATINTL

STATINTL

feels that the dissemination effort should be directed to him in the S&T Directorate and he will determine further dissemination. Other STOs may not be agreeable to the idea. Suggest that proposal be presented and get the reactions.

STATINTL

STATINTL

would like to make a pitch on the monitoring of external training completions. (Doris had also mentioned some problems with getting form 73s and other data earlier for courses; suggest she deal directly with on this and not belabor all the other STOs with this problem.)

STATINTL

a. has indicated he would like to discuss the following:

"Over the past year we have received a rash of late notices on many of the top courses offered by the Agency, DoD, and external academic institutions. Two weeks lead time does not allow for the satisfactory selection of candidates in the Directorates. We are currently preparing a long-range tickler system to anticipate regularly scheduled courses--OTR may wish to consider using this approach for those courses which do not already appear on the OTR Catalog Schedule."

ADMINISTRATIVE - INTERNAL USE ONLY

## Approved For Release 2001/08/14: CIA-RDP81-00896R000100040013-0 ADMINISTRATIVE - INTERNAL USE ONLY

STATINTL

4. also proposes we discuss the incorporation of contract employee training into the ATR as follows:

"The training records on contract employees, both past and present, are maintained separately from the regular Agency Training Record data base. The DDS&T, as well as the DDO, employs a large number of former and current contract employees. To obtain the record on all employees one must interrogate two separate systems. Consolidation of these two systems is recommended."

5. The meeting might provide a good opportunity to update the STOs on the joint efforts to sort out Mitle 5. upward mobility and EEO.

STATINTL

6. World you be jupered that (10 AM & See)

Lo descent the above? You may being others

but you as you last.

	OFFI	CIAL I	ROUTING	S SI	LIP	
٥٦	NAME AND ADDRESS			DATE		INITIALS
	DDTR			AN	197 <b>7</b> .	
	C/TSS					
 	0,122					
5						
6						
	ACTION	DII	RECT REPLY		PREPAR	E REPLY
		DIS	SPATCH		RECOM	MENDATION
	APPROVAL	DI.		-	-   · · · · · · · · · · · · · · · · · ·	
_	COMMENT	FII		1	RETURN	
	comment concurrence marks: As I recal	I, we_	E Formation	: at	RETURN	the 8
S' p:	COMMENT CONCURRENCE marks:	1, we since points ed with to d	did not that he h REPG p	ne n pers	tend was realised	the 8 hot l_have lwe
S' p:	comment concurrence marks:  As I recal TO meeting s resent. The een discusse ould be glad TO, as you n	I, we since points ed with a to day wis	did not that he REPG priscuss is to so	ne i pers in a chec	tend was raised sonner und under the control of the	the 8 hot l_have lwe
S' p:	comment concurrence marks:  As I recal TO meeting s resent. The een discusse ould be glad TO, as you n	I, we since points ed with a to day wis	did not s that h h REPG p iscuss i	ne n	tend was raised sonner und under the control of the	the 8 land the land t


STATINTL

Approved For Release 2001/08/14: CIA-RDP81-00896R000100040013-0 haft 570 Agenda hould michade a on SPATI addition

FORM 101 USE PREVIOUS 5.75 101 EDITIONS

## MEMORANDUM FOR:

STATINTL



(He is on leave until 13 Dec.) She is his assistant.

Date

FORM 101 USE PREVIOUS 5-75 101 EDITIONS

TRANSMIT	TAL SLIP	2 2 NOV	1976
TO: DTR			
ROOM NO.	BUILDING		
REMARKS:			
Based upo of intere following attached ing with me know if you we made for	est, I has described in the STOs if this is the STOs if this is sold like	ove laid covered cour ne cour ne sour	on the in the xt meet- se let table or
FROM: DI	OTR		
ROOM NO.	BUILDING		EXTENSION
RM NO . 241	REPLACES FORM 36-	В	(47)